

**EPSON**<sup>®</sup>  
EXCEED YOUR VISION

Epson  
EMP 1815/1810

Epson  
EMP 1815/1810



Powerful and portable – big performance  
in any room



# Quality and control wherever you present

Make a serious impact in a fixed setting or on the move with these lightweight 3500 lumen projectors. Set up quickly, project images with amazing Epson 3LCD quality and bring new levels of versatility and style to the way you present.

## Epson EMP 1815

### Everything you need for a great presentation

- Fast USB connection – no more VGA cables!
- Present directly through wireless or wired networks
- Project 80" images from just 2.4m with 1.6x zoom ratio
- Run up to 4 projectors from one computer for panoramic images, or multi-screen productivity
- Keep file transmission secure with market-leading wireless security

No PC required – access and project files directly via the built-in Compact Flash slot



EasyMP™

## Epson EMP 1810



### Superb presenting made simple

- Work fast with 6 second set up
- Superb quality images with Epson 3LCD technologies
- Incredible 3500 lumens projector packed into just 2.9kg
- Pause presentations easily with AV mute slide
- Direct power off – instant disconnection of power after presentation



Pause presentations quickly with the AV mute slide. It also protects the lens when in transport or storage



Can be ceiling mounted and connected directly to the room's power switch for easy power on/off



Compact and easily portable with soft carry case






Integrate your projector into your local network wirelessly or with cables.

## Seamless Network Integration; wireless or wired

Your EMP-1815 projector can be quickly integrated into your local area network with direct RJ45 connectivity. Take full control of your projector remotely, monitor its status, and even project your presentations via the network. And we provide the best projector wireless

security available to ensure that you control access to your data and presentations.




Start presenting quickly with 6 second auto setup.

## One button for a perfect image

It takes just six seconds to achieve a super-bright, uniform image. Simply press 'Quick Setup' and the projector will automatically create a perfect image for you. Screen frame detection technology automatically fits the image to the screen, and if there's no screen, brightness peak detection gives you

great pictures on a wall. And with super fast shutdown, you can unplug and be on your way as soon as you're finished.



Standalone presenting via the Compact Flash memory card slot.

## Compact Flash versatility\*

Make standalone presentations or photo slideshows simply and directly with the Compact Flash card reader. When the card is inserted in the projector, you can even rewrite stored information via the local network using ftp. As cards don't need to be removed, this is very useful for ceiling mounted projectors. CF cards

are also an easy way to transport files between venues. You can even plug in the CF card from a digital camera.




Make standalone presentations from a range of memory cards and devices.

## PC free flexibility\*

Presenting without a PC makes the whole process smoother and simpler. You can leave your PC at home and move around even more easily. In addition to Compact Flash memory cards, you can present directly from a USB memory stick – or even SD, Memory Stick, or MicroDrive media

(with optional adapters). Simply connect your memory device to the CF memory card slot or USB port and you're ready to go.



Reach a wider audience with simultaneous display on multiple screens.

## Innovative multi-screen display\*

Now you have the power to make a really big impact, with up to 4 projectors presenting from just one computer simultaneously, and even wirelessly. Either choose a large panoramic image, or 4 independent pictures to offer your audience a true multimedia experience.



Simple, fast USB connection to your PC – no need for traditional VGA cables.



## Connect to your EMP-1815 via USB

Save even more time by connecting your PC to your projector via the simple USB cable. There's no longer any requirement for the traditional VGA cable, and there's no need to change input and output signals manually either because with USB it's all done for you. The projector

will recognise the signal and start projecting automatically.

\* On EMP-1815 only

MODEL		EMP-1815	EMP-1810
<b>Specifications</b>			
<b>Projection system</b>		0.8" with MLA (x3) D5 TFT	0.8" with MLA (x3) D5 TFT
<b>Native resolution</b>		XGA (1024x768)	XGA (1024x768)
<b>Brightness</b>		3500 ANSI lumens/2700 ANSI lumens (Low Brightness Mode)	3500 ANSI lumens/2700 ANSI lumens (Low Brightness Mode)
<b>Contrast</b>		500:1	500:1
<b>Weight</b>		3.1 kg	2.9 kg
<b>Dimension (D x W x H)</b>		257x 345x 86mm (Excluding Feet)	257x 345x 86mm (Excluding Feet)
<b>Fan noise</b>		37 dB/32 dB	37 dB/32 dB
		High brightness/Low brightness mode	
<b>Projection lens</b>		Manual Focus and 1.6x Manual Zoom, F= 1.75-2.42/F= 24.0-38.2mm	Manual Focus and 1.6x Manual Zoom, F= 1.75-2.42/F= 24.0-38.2mm
<b>Lamp</b>	<b>Type/life</b>	210W UHE/3000 hours (2500h at high brightness mode)	210W UHE/3000 hours (2500h at high brightness mode)
<b>Screen size (Projected distance)</b>		30 to 300 inch (0.8 to 14.7m)	30 to 300 inch (0.8 to 14.7m)
<b>Colour</b>		Full-Colour (16.77 million colours)	Full-Colour (16.77 million colours)
<b>Keystone correction</b>		Vertical: -45 to +45 degrees Horizontal: -30 to +30 degrees	Vertical: -45 to +45 degrees Horizontal: -30 to +30 degrees
<b>Quick setup</b>	<b>Auto Quick Corner</b>	Approximately 6 seconds	Approximately 6 seconds
<b>Compatability</b>		UXGA/SXGA/SVGA/VGA	UXGA/SXGA/SVGA/VGA
<b>Input</b>	<b>Video</b>	D-sub 15-pin x2, RCA x1, S-Video x1	D-sub 15-pin x2, RCA x1, S-Video x1
	<b>Computer</b>	RGB x2	RGB x2
	<b>Audio</b>	Stereo mini-jack x2	Stereo mini-jack x2
<b>Output</b>	<b>Computer</b>	D-sub 15-pin x1	D-sub 15-pin x1
	<b>Audio</b>	Stereo mini-jack x1, 5 W speaker	Stereo mini-jack x1, 5 W speaker
<b>Control</b>		RS-232C and USB Type A x1 and Type B x1	RS-232C and USB Type B x1
<b>Network</b>		Yes	No
<b>Card slot</b>		CF x1 (3.3V)	No
<b>Operating temperature/altitude</b>		5 °C to 35 °C/0 to 2,286m	5 °C to 35 °C/0 to 2,286m
<b>Power supply</b>		100 - 240 V AC ±10%, 50/60 Hz	100 - 240 V AC ±10%, 50/60 Hz
<b>Power consumption</b>		100 - 240 V AC 3.4 - 1.5 A 50/60 Hz	100 - 240 V AC 3.4 - 1.5 A 50/60 Hz
<b>Other functions</b>		Direct Power On/Off, Instant Off (Cool-Down Period), Source Search, Auto Detection of RGB, Multi-Screen Colour Adjustment, Operation Panel Disable Function, 6 Colour Modes and 1 Customized, High Altitude Mode, User's Logo, A/V Mute Slide, Anti-theft features, Kensington Lock compatible	Direct Power On/Off, Instant Off (Cool-Down Period), Source Search, Auto Detection of RGB, Multi-Screen Colour Adjustment, Operation Panel Disable Function, 6 Colour Modes and 1 Customized, High Altitude Mode, User's Logo, A/V Mute Slide, Anti-theft features, Kensington Lock compatible
<b>OSD language</b>		20 languages	20 languages
<b>Warranty</b>		UK - 3 year next day on site repair or replace Ireland - 3 year next day on site repair or loan	UK - 3 year next day on site repair or replace Ireland - 3 year next day on site repair or loan



Epson EMP-1810 connectivity



Epson EMP-1815 connectivity

#### Wireless performance EMP-1815

<b>Network</b>	<b>Function</b>	Wireless LAN (802.11a/b/g) Projector control and management via network SNMP PC Free Network Presentation Web control PJ-Link File transfer to memory card from network EMP IP Link (for Windows) Web download only
	<b>Software</b>	EMP Monitor (for Windows) EMP NS Connection (for Windows and Mac) EMP Slide Maker2 (for Windows)
	<b>Security (Wireless LAN)</b>	WEP, WPA-PSK(TKIP), WPA2-PSK(AES) EAP-TLS, EAP-TTLS/MD5, EAP-TTLS/MS-CHAPv2, PEAP/MS-CHAPv2, PEAP/GTC LEAP, EAP-Fast/MS-CHAPv2, EAP-Fast/GTC

#### Supplied accessories

<b>Power cable</b>	3 m
<b>Computer cable</b>	1.8 m D-sub 15pin (Male) - D-sub 15pin (Male)
<b>USB cable</b>	1.8 m (EMP-1815 only)
<b>Soft carrying case</b>	yes
<b>Wireless LAN unit</b>	yes 802 11a/b/g (WN6501CEP) (EMP-1815 only)
<b>Bundled software</b>	Epson Projector software for meeting & presentation (CD-ROM) (EMP-1815 only)
<b>Password protect sticker</b>	yes
<b>User's manual set</b>	yes





Wedgwood AV Ltd  
Audio visual supplier since 1996

# Wedgwood AV Ltd

Specialise in the supply of audio visual equipment  
to UK medical, MOD, education and businesses

Tel: 01754 769967 / 0800 018 9967

FREE Repeat Signage Standalone digital signage software for Windows with  
every order over £500+VAT purchased from Wedgwood AV Ltd in 2015

## Full product list FREE AV guides



LCD monitors

Wedgwood are giving away Repeat Signage Standalone Edition worth £145+VAT with any products with a total order value of over £500+VAT purchased during 2015 from Wedgwood AV Ltd.  
[sales@wedgwood-group.com](mailto:sales@wedgwood-group.com) (Order value £1,000 +VAT will receive two software licences; £1,500+VAT three licences).

**Repeat Signage helps you get your message across**, to promote your products or services. You can display still and moving images, scrolling text messages, RSS feeds (such as the BBC weather or your local news), show webcam or web browser, add audio, PowerPoint scheduler, Flash clocks, and even display pictures which text. [See 2 minute video](#). [Trial download](#)

### Contact us - how to order

For a quotation or to place your official purchase order and receive your FREE Repeat Signage digital signage software please telephone 01754 769967 or fax 01754 768036 Email [sales@wedgwood-group.com](mailto:sales@wedgwood-group.com) [Special offers](#)

Wedgwood AV Ltd - 01754 769967 [www.wedgwood-group.com](http://www.wedgwood-group.com)



Mount solutions



Touch screens



Digital signage



Medical monitors



Lecterns



Audio



Whiteboards



Projectors



Projector lamps



Projector lenses



Projector screens